

Serial No. 10/615,893

AMENDMENTS**In the Claims**

Please cancel claims 30 – 34.

1. (Currently Amended) An antenna tower module for mounting to an antenna mast and for supporting one or more antennas, the antenna tower module comprising:
 - a bottom plate for mounting to the mast or to another module;
 - a top plate spaced apart from the bottom plate; and
 - a multi-vaned beam extending between the bottom plate and the top plate, the multi-vaned beam including:
 - a central post; and
 - a plurality of stiffening vanes extending generally radially outwardly from the central post, each of the stiffening vanes comprising a plurality of web portions, wherein the plurality of web portions extend from the bottom plate to the top plate.
2. (Original) An antenna tower module as claimed in claim 1 further comprising a distal flange at a distal end of each of the vanes and extending transversely to the radially extending vanes.
3. (Original) An antenna tower module as claimed in claim 1 wherein the central post has a circular cross-section.
4. (Original) An antenna tower module as claimed in claim 1 wherein the central post has a rectangular cross-section.
5. (Currently Amended) An antenna tower module as claimed in claim 1 wherein the plurality of stiffening vanes comprises at least three vanes.
6. (Currently Amended) An antenna tower module as claimed in claim 5 wherein the plurality of stiffening vanes are equally spaced from one another.

Serial No. 10/615,893

7. (Currently Amended) An antenna tower module as claimed in claim 51, wherein the plurality of stiffening vanes are unevenly spaced from one another.

8. (Original) An antenna tower module as claimed in claim 1 wherein each of the vanes is discontinuous.

9. (Original) An antenna tower module as claimed in claim 1 wherein each of the vanes is welded to the central post at two or more locations between the top plate and the bottom plate.

10. (Original) An antenna tower module as claimed in claim 5 wherein the at least three vanes comprises four vanes.

11. (Original) An antenna tower module as claimed in claim 10 wherein spacing between the four vanes is selected to define two relatively large recesses for receiving antennas therein and two relatively smaller recesses.

12. (Original) An antenna tower module as claimed in claim 1 further comprising a shroud for visually obscuring the multi-vaned beam and any antennas mounted thereto.

13. (Original) An antenna tower module as claimed in claim 1 wherein the top plate and the bottom plate are circular.

14. (Original) An antenna tower module as claimed in claim 1 wherein the top plate and the bottom plate are rectangular.

15. (Original) An antenna tower module as claimed in claim 1 wherein the top plate and the bottom plate are shaped to generally match or coordinate with the shape of a pattern formed by the multi-vaned beam.

Serial No. 10/615,893

16. (Currently Amended) An antenna tower comprising:
a mast;
at least one antenna tower module mounted to the antenna mast for supporting one or more antennas, the antenna tower module including:
a bottom plate for mounting to the mast or to another module;
a top plate spaced from the bottom plate; and
a multi-gusseted beam extending between the bottom plate and the top plate, the multi-gusseted beam including a central post and a plurality of stiffening gussets extending generally radially outwardly from the central post; and extending between the top plate and the bottom plate and one or more antennas mounted to the antenna tower module.

17. (Original) An antenna tower is claimed in claim 16 wherein the at least one antenna tower module comprises at least two antenna tower modules, with the first of the modules being mounted atop the mast and the second of the modules being mounted atop the first module.

18. (Currently Amended) An antenna tower as claimed in claim 16 further comprising flanges at the distal ends of the gussets and extending transversely to the radially extending gussets and along the entire length of the distal ends of the flanges.

19. (Original) An antenna tower as claimed in claim 17 wherein the first antenna tower module has a different number of radially extending gussets than the second antenna tower module.

20. (Original) An antenna tower is claimed in claim 17 are in the first antenna tower module has the same number of radially extending gussets as the second antenna tower module.

21. (Original) An antenna tower as claimed in claim 16 further comprising a shroud for visually obscuring the antennas mounted to the antenna tower modules.

Serial No. 10/615,893

22. (Currently Amended) In an antenna tower assembly of the type having a pole or mast, and including an upper portion comprising a central post having a first end and a second end, a top plate connected to the first end of the central post and a bottom plate connected to the second end of the central post for mounting antennas thereto, the improvement therein comprising stiffening the upper portion of the antenna tower assembly with a plurality of radially extending structural webs extending radially from the central post and each structural web having a first end connected the upper plate and a second end connected to the lower plate.

23. (Original) The improvement of claimed 22 further comprising transversely extending flanges provided at the distal ends of the structural webs and extending transversely to be structural webs.

24. (Currently Amended) An antenna tower support structure for mounting to an antenna mast and for supporting one or more antennas, the antenna tower support structure comprising:

a bottom element for mounting to the mast or to another support structure;

a cap spaced from the bottom element; and

a beam extending between the bottom element and the cap, the beam including a central post and a plurality of webs extending generally radially outwardly from the central post, wherein the plurality of webs extend between the bottom element and the cap.

25. (Original) An antenna tower support structure as claimed in claim 24 further comprising outer flanges, one each at a distal end of each of the webs and extending transversely to the webs.

26. (Original) An antenna tower support structure as claimed in claim 24 wherein the plurality of webs are equally spaced from one another.

27. (Original) An antenna tower support structure as claimed in claim 24 wherein the

Serial No. 10/615,893

plurality of webs are not equally spaced from one another.

28. (Original) An antenna tower support structure as claimed in claim 24 wherein at least one of the webs is perforated.

29. (Currently Amended) An antenna tower support structure for mounting to an antenna mast and for supporting one or more antennas, the antenna tower support structure ~~comprising~~ consisting of:

a bottom member for mounting to the mast or to another module;

a top member spaced apart from the bottom member; and

~~a tension-compression beam extending between the bottom member and the top member,~~
~~the tension-compression beam including a central post~~ extending between the top member and the bottom member; and

a plurality of peripheral stiffening flanges spaced radially outwardly from the central post extending between the bottom member and the top member.

30. (Cancelled) An antenna tower support structure as claimed in claim 29 further comprising a plurality of webs extending between the central post and the peripheral flanges.

31. (Cancelled) An antenna tower support structure as claimed in claim 31 wherein the plurality of webs extending radially outwardly from the central post to the peripheral flanges.

32. (Cancelled) An antenna tower comprising:

a mast;

at least three antenna tower modules mounted atop the antenna mast for supporting one or more antennas, the antenna tower modules each including:

a bottom plate for mounting to the mast or to another module;

a top plate spaced from the bottom plate; and

Serial No. 10/615,893

a high-strength beam extending between the bottom plate and the top plate.

33. (Cancelled) An antenna tower as claimed in claim 32 wherein the high-strength beam comprises a central post and multiple stiffening gussets reinforcing the central post and extending between the bottom plate and the top plate, the stiffening gussets extending generally radially outwardly from the central post.

34. (Cancelled) An antenna tower as claimed in claim 32 wherein the high-strength beam comprises a central post and a plurality of generally T-shaped wings attached to the central post, the generally T-shaped wings extending generally radially outwardly from the central post and reinforcing the post and extending between the bottom plate and the top plate.